



義政科技股份有限公司

品名：Antenna

料號：D0665 EANT-93021B

序號：783

Start：0.700000 GHz

Stop：6.000000 GHz

Mark1：0.900000 GHz -12.78 dB

Mark 2：1.800000 GHz -10.44 dB


Ref：0.00 dB

Mark3：2.400000 GHz -13.66 dB

Mark 4：5.800000 GHz -10.55 dB

Scale：10.00 dB

Channel 2 - S11 Return Loss



Frequency (GHz)	Insertion Loss (dB)	Return Loss (dB)	VSWR (dB)	Frequency (GHz)	Insertion Loss (dB)	Return Loss (dB)	VSWR (dB)	Frequency (GHz)	Insertion Loss (dB)	Return Loss (dB)	VSWR (dB)
0.7000	-	-7.09	-	2.4755	-	-13.83	-	4.2510	-	-12.91	-
0.7265	-	-8.34	-	2.5020	-	-13.87	-	4.2775	-	-12.84	-
0.7530	-	-10.42	-	2.5285	-	-13.89	-	4.3040	-	-12.79	-
0.7795	-	-13.90	-	2.5550	-	-13.83	-	4.3305	-	-12.72	-
0.8060	-	-13.95	-	2.5815	-	-13.89	-	4.3570	-	-12.90	-
0.8325	-	-13.72	-	2.6080	-	-13.91	-	4.3835	-	-12.51	-
0.8590	-	-13.28	-	2.6345	-	-13.80	-	4.4100	-	-12.17	-
0.8855	-	-13.22	-	2.6610	-	-13.79	-	4.4365	-	-12.17	-
0.9120	-	-12.42	-	2.6875	-	-13.78	-	4.4630	-	-11.93	-
0.9385	-	-11.64	-	2.7140	-	-13.62	-	4.4895	-	-11.64	-
0.9650	-	-10.98	-	2.7405	-	-13.61	-	4.5160	-	-11.59	-
0.9915	-	-10.47	-	2.7670	-	-13.48	-	4.5425	-	-11.49	-
1.0180	-	-10.08	-	2.7935	-	-13.30	-	4.5690	-	-11.41	-
1.0445	-	-9.75	-	2.8200	-	-13.12	-	4.5955	-	-11.29	-
1.0710	-	-9.63	-	2.8465	-	-13.16	-	4.6220	-	-11.54	-
1.0975	-	-9.43	-	2.8730	-	-13.19	-	4.6485	-	-11.51	-
1.1240	-	-9.22	-	2.8995	-	-13.07	-	4.6750	-	-11.59	-
1.1505	-	-9.06	-	2.9260	-	-12.98	-	4.7015	-	-11.92	-
1.1770	-	-9.04	-	2.9525	-	-13.12	-	4.7280	-	-12.00	-
1.2035	-	-8.96	-	2.9790	-	-13.07	-	4.7545	-	-12.06	-
1.2300	-	-8.80	-	3.0055	-	-13.05	-	4.7810	-	-12.32	-
1.2565	-	-8.97	-	3.0320	-	-13.14	-	4.8075	-	-12.72	-
1.2830	-	-9.13	-	3.0585	-	-13.12	-	4.8340	-	-12.56	-
1.3095	-	-9.34	-	3.0850	-	-13.08	-	4.8605	-	-12.67	-
1.3360	-	-9.45	-	3.1115	-	-13.25	-	4.8870	-	-12.84	-
1.3625	-	-9.57	-	3.1380	-	-13.24	-	4.9135	-	-12.61	-
1.3890	-	-9.57	-	3.1645	-	-13.23	-	4.9400	-	-12.39	-
1.4155	-	-9.74	-	3.1910	-	-13.30	-	4.9665	-	-12.18	-
1.4420	-	-9.81	-	3.2175	-	-13.24	-	4.9930	-	-11.96	-
1.4685	-	-9.73	-	3.2440	-	-12.96	-	5.0195	-	-11.70	-
1.4950	-	-9.80	-	3.2705	-	-12.83	-	5.0460	-	-11.33	-
1.5215	-	-9.90	-	3.2970	-	-12.93	-	5.0725	-	-11.40	-
1.5480	-	-9.84	-	3.3235	-	-12.77	-	5.0990	-	-11.10	-
1.5745	-	-9.87	-	3.3500	-	-12.56	-	5.1255	-	-10.95	-
1.6010	-	-9.96	-	3.3765	-	-12.67	-	5.1520	-	-10.88	-
1.6275	-	-10.07	-	3.4030	-	-12.69	-	5.1785	-	-10.83	-
1.6540	-	-9.97	-	3.4295	-	-12.56	-	5.2050	-	-10.77	-
1.6805	-	-9.98	-	3.4560	-	-12.61	-	5.2315	-	-10.97	-
1.7070	-	-10.04	-	3.4825	-	-12.74	-	5.2580	-	-11.06	-
1.7335	-	-10.09	-	3.5090	-	-12.75	-	5.2845	-	-11.18	-
1.7600	-	-10.13	-	3.5355	-	-12.83	-	5.3110	-	-11.44	-
1.7865	-	-10.40	-	3.5620	-	-12.95	-	5.3375	-	-11.79	-
1.8130	-	-10.48	-	3.5885	-	-13.05	-	5.3640	-	-11.92	-
1.8395	-	-10.66	-	3.6150	-	-13.21	-	5.3905	-	-12.19	-
1.8660	-	-10.86	-	3.6415	-	-13.30	-	5.4170	-	-12.49	-
1.8925	-	-11.13	-	3.6680	-	-13.40	-	5.4435	-	-12.55	-
1.9190	-	-11.36	-	3.6945	-	-13.33	-	5.4700	-	-12.44	-
1.9455	-	-11.72	-	3.7210	-	-13.26	-	5.4965	-	-12.55	-
1.9720	-	-11.96	-	3.7475	-	-13.40	-	5.5230	-	-12.50	-
1.9985	-	-12.19	-	3.7740	-	-13.12	-	5.5495	-	-11.97	-
2.0250	-	-12.43	-	3.8005	-	-12.99	-	5.5760	-	-11.98	-
2.0515	-	-12.66	-	3.8270	-	-12.98	-	5.6025	-	-11.59	-

2.0780	-	-12.90	-	3.8535	-	-12.78	-	5.6290	-	-11.24	-
2.1045	-	-12.99	-	3.8800	-	-12.55	-	5.6555	-	-11.00	-
2.1310	-	-13.10	-	3.9065	-	-12.45	-	5.6820	-	-10.82	-
2.1575	-	-13.28	-	3.9330	-	-12.23	-	5.7085	-	-10.64	-
2.1840	-	-13.29	-	3.9595	-	-12.07	-	5.7350	-	-10.48	-
2.2105	-	-13.44	-	3.9860	-	-12.00	-	5.7615	-	-10.54	-
2.2370	-	-13.53	-	4.0125	-	-12.00	-	5.7880	-	-10.56	-
2.2635	-	-13.46	-	4.0390	-	-11.95	-	5.8145	-	-10.53	-
2.2900	-	-13.54	-	4.0655	-	-11.91	-	5.8410	-	-10.64	-
2.3165	-	-13.44	-	4.0920	-	-12.12	-	5.8675	-	-10.91	-
2.3430	-	-13.65	-	4.1185	-	-12.28	-	5.8940	-	-11.20	-
2.3695	-	-13.52	-	4.1450	-	-12.17	-	5.9205	-	-11.33	-
2.3960	-	-13.63	-	4.1715	-	-12.67	-	5.9470	-	-11.77	-
2.4225	-	-13.82	-	4.1980	-	-12.57	-	5.9735	-	-12.06	-
2.4490	-	-13.71	-	4.2245	-	-12.54	-	6.0000	-	-12.14	-